



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

NW South Boundary d36

 West On a Random line On the South Boundary of sec. 36
T. 5 N. R. 2 W.

2000 To the Bank of White River

4000 Set a trap for sec post.

8000 " " " post for the cor of sec 35 & 36.

 Land is rich and rolling timber Birch, Sugar,
Poplar, &c.

 West On a Random line On the South Boundary of sec 35
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a trap post for the cor of sec 34 & 35.

Land the same.

 West On a Random line On the South Boundary of sec 34
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

6500 To the Brook 20 traps and 1 corner.

8000 Set a " post for the cor of sec 33 & 34

Land is bushy timber same.

 West On a Random line On the South Boundary of sec 33
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a " post for the cor of sec 32 & 33.

Land & timber same as last mile.

 West On a Random line On the South Boundary of sec 32
T. 5 N. R. 2 W.

4000 Set a trap for sec post.

8000 Set a trap post for the cor of sec 31 & 32

Soil thin very bushy timber Oak, & Hickory

West On a Random line On the South Boundary of sec 31

T. N. 5 N. R. 27 W. 2nd Mer. Ind.

40.00 Set a temporary 1/4 sec post.
 75.72 Set the temporary 1/4 sec post at the corner of sec. 31
 Sec. 16. 31 & 36. T. 45 N. R. 27 W.
 Sounded well in) Timber Beach, Sugar. S.

East On the line line On the South Boundary of sec. 31
 T. 5 N. R. 27 W.

35.72 Set the temporary 1/4 sec post at the corner of sec. 31
 from which, Beach 10 in dia. bears S 42 E. 34 1/2 the dist
 and a Beach 10 " " " S 80 W. 16 " "

75.72 Set the temporary post on the line line for the corner of sec. 31 & 36
 from which, Beach 6 in dia. bears N 71 W. 18 1/2 the dist
 S a " Oak. 12 " " " S 80 W. 16 " "

East On the line line On the South Boundary of sec. 33
 T. 5 N. R. 27 W.

40.00 Set the temporary 1/4 sec post on the line line from which,
 Sugar. 12 in dia. bears S 60 E. 14 1/2 the dist, S a,
 Sugar 12 " " " S 10 E. 23 " "

80.00 Set the temporary post on the line line for the corner of sec. 33 & 36
 from which, Sugar. 12 in dia. bears N 35 E. 29 1/2 the dist
 and a " " " " S 12 " " " S 57 W. 16 " "

East On the line line On the South Boundary of sec. 33
 T. 5 N. R. 27 W.

40.00 A Beach 12 in dia. stands on the line line for the
 corner of 1/4 sec.

80.00 Set the temporary post on the line line for the corner of sec. 33 & 36
 from which, Beach 12 in dia. bears S 44 E. 17 1/2 the dist,
 and a Poplar 5 " " " S 70 W. 9 " "

East On the line line On the South Boundary of sec. 34
 T. 5 N. R. 27 W.

T. N. 5 N. R. 27 W. 2nd Mer. Ind.

40.00 Set the temporary 1/4 sec post at the corner of sec. 31
 from which, Beach 8 in dia. bears S 66 E. 12 1/2 the dist
 and a " " " " S 17 E. 9 " "

80.00 Set the temporary 1/4 sec post on the line line for the corner of
 sec. 34 & 35 from which,
 Beach 8 in dia. bears S 37 W. 5 the dist, S a,
 S a. 8 " " " " S 24 E. 22 " "

East On the line line On the South Boundary of sec. 35
 T. 5 N. R. 27 W.

40.00 Set the temporary 1/4 sec post on the line line from which,
 Beach 8 in dia. bears N 54 E. 14 1/2 the dist, S a,
 S a. 10 " " " " S 60 E. 14 " "

80.00 Set the temporary post on the line line for the corner of sec. 35 & 36
 from which, Beach 18 in dia. bears N 57 W. 12 the dist,
 and a " " " " S 10 " " " " S 18 E. 20 " "

East On the line line On the South Boundary of sec. 36
 T. 5 N. R. 27 W.

40.00 Set the temporary 1/4 sec post at the corner of sec. 36
 from which, Sugar. 10 in dia. bears N 88 E. 35 the dist, S a,
 S a. 12 " " " " S 56 W. 17 " "

80.00 Set the post on sec. 16. 31 & 36. T. 45 N. R. 12 W.

East Boundary.

G 11

North On the East Boundary of sec. 36. T. 5 N. R. 27 W.

10.50 To a Poplar 30 in dia. in the line.

40.00 Set a 1/4 sec post from which,
 Beach 12 in dia. bears S 69 W. 24 the dist, S a,
 Poplar 6 " " " " S 41 W. 12 " "

80.00 Set a post for the corner of sec. 35 & 36 from which,
 Beach 12 in dia. bears S 2 E. 24 the dist, S a,
 Sugar. 18 " " " " S 72 W. 21 " "

T. N. 5 N. R. N. 2 W. 2nd. 7m. Ind.

Land with under rolling Timber Oak, Sugar,
Ash, Poplar &c. W. 9 Spruce.

North On the East Boundary of sec. 25 T. 5 N. R. 2 W.
40.00 Set a p. 20 feet from which

Beet 20 in dia. beam S 34 E. 29 1/2 the dist; 1/2
Do. 7 " " " N 54 W. 29 " "

54.50 To a Spring Run. 4 limbs ma. Corner Co

56.75 To a Brook 12 limbs ma. Co. E.

80.00 Set apart from the cor. of sec. 24 & 25 from which
Beet 12 in dia. beam S 44 E. 26 1/2 the dist; 1/2
Do. 10 " " " S 47 W. 17 " "
Land to the same.

North On the East Boundary of sec. 25 T. 5 N. R. 2 W.
22.75 To a Oak 30 in dia. in the line

40.00 Set apart from the cor. of sec. 25 from which
Hick 10 in dia. beam S 46 E. 37 1/2 the dist; 1/2
Beet 12 " " " N 56 W. 14 " "

46.75 To a Hick 13 in dia. in the line

80.00 Set apart from the cor. of sec. 13 & 24 from which
Oak 10 in dia. beam S 6 E. 33 1/2 the dist; 1/2
Do. 12 " " " S 4 E. 15 " "
Land to the same.

North On the East Boundary of sec. 13 T. 5 N. R. 2 W.
40.00 Set a p. 20 feet from which

Hogwood 6 in dia. beam S 1 W. 23 1/2 the dist; 1/2
Beet 8 " " " N 46 E. 8 " "

80.00 Set apart from the cor. of sec. 12 & 13 from which
Hick 5 in dia. beam S 6 W. 22 1/2 the dist; 1/2
Hogwood 7 " " " East 14 " "
Land to the same.

Comp.

T. N. 5 N. R. N. 2 W. 2nd. 7m. Ind.

North On the East Boundary of sec. 13 T. 5 N. R. 2 W.
40.00 Set a p. 20 feet from which
Oak 12 in dia. beam S 6 W. 14 1/2 the dist; 1/2

Hogwood 6 " " " N 55 W. 11 " "

61.60 To a Oak 20 in dia. in the line

80.00 Set apart from the cor. of sec. 14 & 15 from which
Oak 8 in dia. beam S 7 W. 29 1/2 the dist; 1/2
Hogwood 6 " " " N 39 W. 20 " "

North On the East Boundary of sec. 1 T. 5 N. R. 2 W.
40.00 Set a p. 20 feet from which

Sum. 6 in dia. beam S 71 W. 10 1/2 the dist; 1/2
Oak 15 " " " N 40 W. 13 " "

68.75 To a Poplar 20 in dia. in the line

80.00 Set apart from the cor. of sec. 1 & 6. 31 & 36 T. 5 N. R. 2 W.
N. 51 W. 11 from which

Hick 10 in dia. beam S 74 E. 11 1/2 the dist; 1/2
Oak 8 " " " S 56 W. 15 " "

Land with rolling Timber Oak, Hick, Poplar,

North Boundary.

East On a Random line On the South Boundary of sec. 31
T. 6 N. R. 2 W.

22.55 To a Brook 100 limbs ma. Corner Co

40.00 Set a temporary p. 20 feet

62.49 To the above named Brook 100 limbs ma. Co. A.

80.00 Set a temporary p. 20 feet from the cor. of sec. 31 & 32.
Land with rolling Timber Oak, Poplar, Walnut,
W. 9 Spruce &c.

East On a Random line On the South Boundary of sec. 32
T. 6 N. R. 2 W.

35.22 To a Brook 100 limbs ma. Corner Co

40.00 Set a temporary p. 20 feet

T. A. S. A. R. A. 277 2nd M. S. A. C.

8000	Set a trap for the cu. of sw. 32 133 Sands the same.
East	On a random line On the South Boundary of sw. 33. T. C. A. R. 277.
4000	Set a trap for sw post
8000	Set a trap for the cu. of sw. 33 134 Sands very hilly & hilly; thin soil.
East	On a random line On the South Boundary of sw. 34. T. C. A. R. 277.
4000	Set a trap for sw post
8000	Set a trap for the cu. of sw. 34 135 Sands the same.
East	On a random line On the South Boundary of sw. 35. T. C. A. R. 277.
4000	Set a trap for sw post
8000	Set a trap for the cu. of sw. 35 136. Sands very hilly & hilly.
East	On a random line On the South Boundary of sw. 36. T. C. A. R. 277.
4000	Set a trap for sw post
7775	Set a trap for the Range line 12 miles 8 9 miles North of sw. cor. Sand not so hilly. Timber Oak Hickory
West	On the line On the South Boundary of sw. 36. T. C. A. R. 277.
4000	Set the trap for sw post at the cor. on the line from which, Hickory 10 in dia. trees N 70 E. 27 1/2 mi. thick and a 10. 10 " " " " 43 1/2 N 8 " "
8000	Set a trap for sw post at the line for the cu. of sw. 36 136

T. A. S. A. R. A. 277 2nd M. S. A. C.

	from which, Sum 10 in dia. trees N 89 E. 4 3/4 mi. thick; and a Dogwood Co. " " N 51 E. 29 " "
West	On the line On the South Boundary of sw. 37. T. C. A. R. 277.
4000	Set the trap for sw post on the line from which, Hickory 10 in dia. trees West 2 mi. thick.
8000	Set the trap for the cu. of sw. 37 137. from which, Hickory 10 in dia. trees N 67 W. 6 1/2 mi. thick; 20, Sugar 8 " " " " N 85 E. 22 " "
West	On the line On the South Boundary of sw. 37. T. C. A. R. 277.
4000	Set the trap for sw post on the line from which, Poplar, 24 in dia. trees N 3 E. 18 1/2 mi. thick; 1/2 "
8000	Set a trap for the cu. of sw. 37 138. from which, Hickory 9 in dia. trees N 86 E. 3 1/2 mi. thick and a 10. 20 " " " " N 31 E. 15 " "
West	On the line On the South Boundary of sw. 38. T. C. A. R. 277.
4000	Set the trap for sw post on the line in a brush thicket; No timber rough.
8000	Set a trap for the cu. of sw. 38 139. from which, Hickory 5 in dia. trees on the line for the cu. of sw. 38 139.
West	On the line On the South Boundary of sw. 39. T. C. A. R. 277.
4000	Set a trap for sw post on the line from which, a Hickory 11 in dia. trees S 55 E. 16 1/2 mi. thick; 20, Hickory 10 " " " " N 26 W. 15 " "
8000	Set a trap for sw post at the line for the cu. of sw. 39 140 from which,

T. N. S. N. R. N. 27th 2nd Mo. Ind.

Sugar 10 in dia: bears N 44 E. 9 lks dist; to,
 Do. 8 " " " N 72 W 14 " "

West On the line Cath South Bound of su. 31.
 14.26 To the Brook this line crossed a no farther West.

West Boundary

North On the East Boundary of su. 36. T. 5 N. R. 3 W

12.00 To a Brook 12 in dia: in the me. N. 6° 45'

40.00 Set a 1/4 supst from whist,

Brook 20 in dia: bears S 57 N 18 lks dist; to,

Do. 10 " " " N 62 W 12 " "

65.00 To a Brook 10 lks mid, corner &

80.00 Set a post for the cor of su. 25 & 36 from whist,

Brook 6 in dia: bears S 21 W 6 lks dist; to,

Sugar 10 " " " N 73 E 19 " "

Land hilly Timber Sugar Brook & Poplar.

North On the East Boundary of su. 25 T. 5 N. R. 3 W.

21.00 To a Sum. 20 in dia: in the me.

40.00 Set a 1/4 supst from whist,

Brook 12 in dia: bears S 21 W 8 lks dist; to,

Do. 10 " " " N 79 E 16 " "

80.00 Set a post for the cor of su. 24 & 25 from whist,

Brook 10 in dia: bears S 50 E 9 lks dist; to,

Do. 10 " " " N 50 W 21 " "

Land the same.

North On the East Boundary of su. 24 T. 5 N. R. 3 W

12.00 To a Brook 10 in dia: in the me.

40.00 Set a 1/4 supst from whist,

N Oak 12 in dia: bears S 88 W 15 lks dist; to

T. N. S. N. R. N. 27th 2nd Mo. Ind.

Brook 10 in dia: bears S 20 W 33 lks dist.

72.50 To a Brook 18 in dia: in the me.

80.00 Set a post for the cor of su. 13 & 24 from whist,

Brook 12 in dia: bears South 6 lks dist; to,

Walnut 10 " " " N 68 E 16 " "

Land the same.

North On the East Boundary of su. 13 T. 5 N. R. 3 W

40.00 Set a 1/4 supst from whist,

N Oak 12 in dia: bears S 12 E 20 lks dist; to,

Poplar 18 " " " S 81 W 14 " "

51.00 To a N Oak 12 in dia: in the me.

80.00 Set a post for the cor of su. 12 & 13 from whist,

Poplar 12 in dia: bears N 4 E 37 lks dist; to,

Sugar 10 " " " N 16 E 18 " "

Land thin & hilly Timber Oak & Hickory

North On the East Boundary of su. 12 T. 5 N. R. 3 W

40.00 Set a 1/4 supst from whist,

Sumner 4 in dia: bears S 57 W 10 lks dist; to,

Do. 4 " " " S 81 E 10 " "

41.50 To a Brook 25 lks mid, corner &

80.00 Set a post for the cor of su. 1 & 12 from whist,

N Oak 12 in dia: bears S 48 W 7 lks dist; to,

Do. 10 " " " N 43 E 21 " "

Land the same.

North On the East Boundary of su. 1 T. 5 N. R. 3 W

14.00 To a N Oak 10 in dia: in the me.

40.00 Set a 1/4 supst from whist,

N Oak 20 in dia: bears S 22 E 28 lks dist; to,

Brook 12 " " " S 81 W 28 " "

80.00 Set a post for the cor of S. 5 & 6 N 213 W

I. A. S. A. R. No 2772 Mr. S. A.

From which Sugar 12 in dia. bears 96 W 35 N dist
and a Sugar 10 " " " " N 88 E 35 " "
Land the same as last mile.

Surveyed by
Arthur Henric, D.S.

Subdivisions

North Return Sur 35 & 36 I. S. A. R. 277.

40.00 A Buck 20 in dia. bears 96 W 35 N dist.

80.00 Set a post for the cor of Sur 25, 26, 35 & 36. From which
Logwood 8 in dia. bears N 77 W 30 N dist. to
Sugar 10 " " " " S 47 W 33 " "
Land rich and rolling; Timber Sugar, Poplar,
Ash &c. &c.

East On a Random line between Sur 25 & 36 I. S. A. R. 277.

40.00 Set a tripot 74 ft. post.

80.20 Subcut the East Boundary 12 links South of the
post cor of Sur 25 & 36. Land the same.

West On the true line between Sur 25 & 36 I. S. A. R. 277.

40.10 Set the tripot 74 ft. post at the ar ditch on the true line
from which Logwood 6 in dia. bears N 89 E 10 N dist
and a Buck 10 in dia. bears N 70 W 21 N dist
80.20 To the post cor of Sur 25, 26, 35 & 36.

North Return Sur 25 & 26 I. S. A. R. 277.

40.00 Set a post from which

Buck 12 in dia. bears North 28 N dist to

Sugar 12 " " " " South 13 " "

56.00 To a Poplar 24 in dia. in the river.

80.00 Set a post for the cor of Sur 23, 24, 25 & 26 from which
Buck 24 in dia. bears N 43 W 22 N dist. to

I. A. S. A. R. No 2772 Mr. S. A.

Buck 10 in dia. bears S 44 E 23 N dist.
Land the same.

East On a Random line between Sur 24 & 25 I. S. A. R. 277.

25.00 To a Buck 10 in dia. bears S 44 E

40.00 Set a tripot 74 ft. post.

80.10 Subcut the East Boundary 10 links South of the post
cor of Sur 24 & 25. Land the same.

West On the true line between Sur 24 & 25 I. S. A. R. 277.

40.00 Set the tripot 74 ft. post at the ar ditch on the true line
from which Sugar 10 in dia. bears N 79 E 8 N dist
and a Buck 12 " " " " N 78 W 23 " "

80.10 To the cor of Sur 24 & 25, 25 & 26

North Return Sur 23 & 24 I. S. A. R. 277.

40.00 Set a post from which

Buck 12 in dia. bears N 57 E 14 N dist. to

Do 10 " " " " S 77 W 11 " "

80.00 Set a post for the cor of Sur 13, 14, 23 & 24 from which
a Sugar 10 in dia. bears N 71 E 7 N dist. to
Buck 10 " " " " S 66 W 7 " "
Land the same as last mile.

East On a Random line between Sur 13 & 24 I. S. A. R. 277.

40.00 Set a tripot 74 ft. post.

80.30 Subcut the East Boundary 10 links South of the post
cor of Sur 13 & 24. Land the same.

West On the true line between Sur 13 & 24 I. S. A. R. 277.

40.15 Set the tripot 74 ft. post at the ar ditch on the true line

from which Logwood 5 in dia. bears S 44 W 30 N dist
and a Do 8 " " " " N 50 E 7 " "

I. A. S. A. R. A. S. 27th 2nd Mr. Ind.

80.30 To the post ca of sur 13 & 14. 23 & 24.

North Return Sur 13 & 14 I. S. A. R. 27th.

80.60 To a Sugar. 40 in dia. in the line.

40.00 Set a post from which,

Logwood 8 in dia. bears N 57th 14 the dish to,

Beck 12 " " S 5 E. 9 " "

80.70 Set a post for the end of sur 11, 12, 13 & 14 from which,

Beck 10 in dia. bears S 2 E. 30 the dish to,

Logwood 6 " " N 26 E. 22 " "

Lands the same, as last time.

East On a Random line between Sur 12 & 13 I. S. A. R. 27th.

40.00 Set a tripot for the post.

80.43 Laid out the East Boundary 20 miles North of the post ca of sur 12 & 13. Lands the same.

West On the Line line between Sur 12 & 13 I. S. A. R. 27th.40.21st Set the tripot for the post at the end of the linefrom which, N 20th 20 in dia. bears S 44 E. 38 the dishand a Black 6 " " N 74th 17 " "

80.43 To the ca of sur 11, 12, 13 & 14.

North Return Sur 11 & 12 I. S. A. R. 27th.

40.00 Set a post from which,

Logwood 6 in dia. bears N 14 E. 27 the dish to,

Black 12 " " S 12th 19 " "

59.75 To a Sugar. 18 in dia. in the line.

80.00 Set a post for the end of sur 1, 2, 11 & 12 from which,

Logwood 8 in dia. bears S 50 E. 7 the dish to,

Beck 6 " " N 50th 13 " "

Lands hilly Lumber Oak & Hick.

I. A. S. A. R. A. S. 27th 2nd Mr. Ind.East On a Random line between Sur 1 & 2 I. S. A. R. 27th.

40.00 Set a tripot for the post.

80.17 Laid out the East Boundary 17 miles North of the post ca of sur 1 & 2. Lands the same & hilly.

West On the Line line between Sur 1 & 2 I. S. A. R. 27th.40.08th Set the tripot for the post at the end of the line

from which, Beck 12 in dia. bears N 24 E. 28 the dish

and a Maple 10 " " S 87th 25 " "

80.17 To the post ca of sur 1, 2, 11 & 12.

North Return Sur 1 & 2 I. S. A. R. 27th.

40.00 Set a post from which,

Logwood 6 in dia. bears N 13 E. 25 the dish to,

Black 10 " " S 37th 20 " "81.50 Laid out the N Boundary at the post ca of sur 3 & 4 I. S. A. R. 27th. Lands the same.North Return Sur 3 & 4 I. S. A. R. 27th.

34.75 To a Beck 12 in dia. in the line.

40.00 Set a post from which,

Sugar 10 in dia. bears S 21th 20 the dish to,

Beck 18 " " N 33 E. 23 " "

80.00 Set a post for the end of sur 26, 27, 34 & 35 from which,

Logwood 6 in dia. bears S 89 E. 10 the dish to,

Beck 10 " " S 45th 7 " "

Lands rich and rolling, Lumber Sugar, Ash,

Beck, & Sugar, N 8th 15.East On a Random line between Sur 26 & 35 I. S. A. R. 27th.

40.00 Set a tripot for the post.

79.58 Laid out the N to line 12 miles North of the post ca of sur 25, 26, 35 & 36. Lands the same.

I. A. S. N. R. N. 272nd Mr. J. A. S.

West On the line between Sec 26 & 35 I. S. N. R. 272.
 39.79 Set the timber post at the corner on the line from
 which, Buck 10 in dist. from N. 46° 18' 00" E. dist. 18
 Do 10 " " " S 39° 04' " "
 79.50 To the corner of sec 26 & 34 & 35.

North Return Sec 26 & 35 I. S. N. R. 272.
 40.00 Set a post from which,
 Sugar 12 in dist. from S 20° 16' 00" E. dist. 12,
 Buck 10 " " " N 43° 08' " "
 62.40 To Sugar 12 in dist. in the line.
 80.00 Set a post for the corner of sec 22, 23, 26 & 27 from which,
 Buck 12 in dist. from S 68° 00' 00" E. dist. 12,
 Do 18 " " " N 30° 24' " "
 Same as the same.

East On a Random line between Sec 23 & 26 I. S. N. R. 272.
 40.00 Set a timber post.
 79.82 Intersect the N. 43° line 12 miles North of the post corner
 Sec 23, 24, 25 & 26. Same as the same.

West On the line between Sec 23 & 26 I. S. N. R. 272.
 39.91 Set the timber post at the corner on the line from
 which, Buck 10 in dist. from S 38° 11' 00" E. dist. 11
 Sugar 8 " " " S 78° 17' 34" "
 79.82 To the post corner of sec 22, 23, 26 & 27.

North Return Sec 22 & 23 I. S. N. R. 272.
 12.00 To a Buck 12 in dist. in the line.
 40.00 Set a post from which,
 Gum 20 in dist. from S 46° 33' 00" E. dist. 12,
 Buck 15 " " " S 46° 11' 15" "
 71.35 To a Sugar 10 in dist. in the line.

I. A. S. N. R. N. 272nd Mr. J. A. S.

80.00 Set a post for the corner of sec 14, 15, 22 & 23 from which,
 Buck 12 in dist. from S 67° 06' 00" E. dist. 12,
 Poplar 20 " " " S 46° 00' " "
 Same as the same.

East On a Random line between Sec 14 & 23 I. S. N. R. 272.
 40.00 Set a timber post.
 79.70 Intersect the N. 43° line 8 miles North of the post corner
 Sec 13, 14, 23 & 24. Same as the same.

West On the line between Sec 14 & 23 I. S. N. R. 272.
 39.85 Set the timber post at the corner on the line from
 which, Buck 8 in dist. from S 82° 17' 26" E. dist. 12,
 Do 8 " " " S 65° 11' 25" "
 79.70 To the post corner of sec 14, 15, 22 & 23.

North Return Sec 14 & 23 I. S. N. R. 272.
 29.30 To a Buck 15 in dist. in the line.
 40.00 Set a post from which,
 Buck 10 in dist. from S 35° 11' 19" E. dist. 12,
 Poplar 20 " " " S 46° 12' " "
 80.00 Set a post for the corner of sec 11, 14 & 15 from which,
 Oak 20 in dist. from S 36° 00' 00" E. dist. 12,
 Gum 8 " " " S 24° 00' 00" "
 Same as very hilly & brushy. Timber Oak & Hickory.

East On a Random line between Sec 11 & 14 I. S. N. R. 272.
 40.00 Set a timber post.
 80.00 Intersect the N. 43° line 12 miles South of the post corner
 Sec 11, 12, 13 & 14. Same as the same.

West On the line between Sec 11 & 14 I. S. N. R. 272.

T. A. S. A. R. N. 27th 2nd Mr. Sud.

4000 Let the temp. 7th report at the air dist. in the line from
 which a Elev. 8 in dist. bears N 88 E. 30th dist. 12
 Reck 7 4 " " N 67 W 9 1
 8000 To the post on of sec. 10 11 14 & 15

North Return Sec. 10 & 11 T. A. S. A. R. 27th.
 4000 Let a temp. report from which,
 N Oak 20 in dist. bears S 22 W. 20th dist. 12,
 Reck 9 4 " " N 24 W. 27 1
 7640 To a Reck 18 in dist. in the line.
 8000 Let a post from the cor of sec. 2, 3, 10 & 11 from which,
 N Oak 10 in dist. bears N 50 E. 14th dist. 12,
 N Oak 7 4 " " S 45 E. 13 1
 Sand hilly, rock timber log in. Reck, Oak & Poplar.

East On a line from between Sec. 2 & 11 T. A. S. A. R. 27th.
 4000 Let a temp. 7th report.
 7960 Enter cut the N 5 line 18 mds. South of the post on of
 Sec. 1, 2, 11 & 12. Sand the same.

West On the line between Sec. 2 & 11 T. A. S. A. R. 27th.
 3980 Let the temp. 7th report at the air dist. in the line from
 which, Reck 10 in dist. bears N 74 W. 18th dist. 12,
 Hick 8 4 " " N 66 E. 5 1
 7960 To the cor of sec. 2, 3, 10 & 11.

North Return Sec. 2 & 3 T. A. S. A. R. 27th.
 4000 Let a temp. report from which,
 Sugar 18 in dist. bears S 29 W. 21th dist. 12,
 Loc. 12 4 " " N 8 E. 14 1
 4340 To a Poplar 30 mds. in the line.
 8200 Enter cut the N Boundary 25 mds. East of the post,
 cor of sec. 34 & 35 T. A. S. A. R. 27th & set a post for.

T. A. S. A. R. N. 27th 2nd Mr. Sud.

the cor of sec. 2 & 3 from which,
 Sugar 7 in dist. bears N 33 W. 3th dist. 12,
 Loc. 7 4 " " S 87 E. 18 1
 Sand hilly, timber Oak & Hick.

North Return Sec. 33 & 34 T. A. S. A. R. 27th.
 1650 To a Reck 18 mds. mid, corner S. E.
 4000 Let a temp. report from which,
 Sugar 9 in dist. bears S 42 E. 08th dist. 12,
 Reck 6 4 " " N 66 E. 9 1
 6325 To a Reck 12 mds. mid, corner S. W.
 8000 Let a post from the cor of sec. 27, 28, 33 & 34 from which,
 Hick 10 in dist. bears S 72 W. 12th dist. 12,
 N Oak 30 " " " N 81 W. 29 1
 Sand hilly, timber Oak & Hick.

East On a line from between Sec. 27 & 34 T. A. S. A. R. 27th.
 4000 Let a temp. 7th report.
 8000 Enter cut the N 5 line 19 mds. North of the post on
 of sec. 36, 37, 34 & 35. Sand the same.

West On the line between Sec. 27 & 34 T. A. S. A. R. 27th.
 4000 Let the temp. 7th report at the air dist. in the line
 from which, Reck 8 in dist. bears N 38 W. 12th dist. 12,
 under a Loc. 8 4 " " S 58 E. 10 1
 8000 To the post on of sec. 27, 28, 33 & 34.

North Return Sec. 27 & 28 T. A. S. A. R. 27th.
 4000 Let a temp. report from which,
 Sugar 12 in dist. bears N 66 E. 53th dist. 12,
 4985 To a Gum 12 in dist. in the line.
 8000 Let a post from the cor of sec. 21, 22, 27 & 28 from which,
 a Reck 10 in dist. bears N 74 E. 32th dist. 12.

T. N. 5. A. R. N. 272nd Min. Ind.

Reel 9 in dist. bears S 77 W 12 links dist;
Sands the same.

- East On a Random line between Sec. 22 & 27 T. 5 N. R. 27 W.
4000 Set a trap for a fox
8020 Set out the N 15 line 8 links South of the post on
of sec. 22, 23, 26 & 27. Sands the same.
- West On the same line between Sec. 22 & 27 T. 5 N. R. 27 W.
4010 Set the trap for a fox at the arched on the same line
from which, Reel 10 in dist. bears N 88 E. 32 links dist;
cane 10 9 4 4 4 N 34 E. 18 3
8020 Set the post on of sec. 21, 22, 27 & 28.
- North Return Sec. 21 & 22 T. 5 N. R. 27 W.
4000 Set a trap for a fox from which,
N Oak 12 in dist. bears N 52 W 32 links dist & 4,
Sugar 8 4 4 4 N 82 W 35 4,
8000 Set a post for the ca of sec. 16 16, 21 & 22 from which
a Sugar 10 in dist. bears N 27 W 18 links dist; 10,
Elev. 10 4 4 4 N 4 E 19 4,
Sands hilly, thick timber Bush, Poplar &c.
- East On a Random line between Sec. 15 & 22 T. 5 N. R. 27 W.
1150 To a spring Brook 5 links min. N. N.
4000 Set a trap for a fox
7980 Set out the N 15 line 10 links North of the
post on of sec. Sands the same
- West On the same line between Sec. 15 & 22 T. 5 N. R. 27 W.
3990 Set the trap for a fox at the arched on the same line
from which, Reel 8 in dist. bears N 42 E 9 links dist;
cane 12 4 4 4 N 21 W 15 4

T. N. 5. A. R. N. 272nd Min. Ind.

7980 To the post on of sec. 15 16, 21 & 22.

- North Return Sec. 15 & 16 T. 5 N. R. 27 W.
900 To a Brook 10 links min. N. N.
4000 Set a trap for a fox from which,
N Oak 20 in dist. bears N 53 W 5 links dist; 10,
Sugar 7 4 4 4 N 72 E 6 4,
8000 Set a post for the ca of sec. 9 10 15, 16 from which,
N Oak 20 in dist. bears N 53 W 43 links dist; 10,
Sands the same.
- East On a Random line between Sec. 11 & 15 T. 5 N. R. 27 W.
4000 Set a trap for a fox
8000 Set out the N 15 line 12 links North of the post
on of sec. 10 11 14 & 15. Sands very bushy & hilly
- West On the same line between Sec. 10 & 15 T. 5 N. R. 27 W.
4000 Set the trap for a fox at the arched on the same line
from which, Ca in a Bush thicket
8000 To the ca of sec. 9 10 15 & 16.
- North Return Sec. 9 & 10 T. 5 N. R. 27 W.
4000 Set a trap for a fox from which,
in dist. bears N 37 E 10 links dist; 10,
Cherry tree 7 4 4 4 N 67 W 13 4,
8000 Set a post for the ca of sec. 34 9 & 10 from which,
Reel 10 in dist. bears S 27 W 33 links dist; 10,
He. 9 4 4 4 N 37 W 30 4,
Sands hilly and soil thin. Timber Oak & Hick.
- East On a Random line between Sec. 3 & 16 T. 5 N. R. 27 W.
4000 Set a trap for a fox
8000 Set out the N 15 line 20 links North of the post on

T. N. 5 N. R. N. 27. 2nd Mer. Ind.

of Jul 2, 3 1871. Land the same

West On the line between Jul 3rd 1871 T. N. 5 N. R. 27th
 40.00 Set the timber? to be put at the end of the line
 from wharf, Buck 20 in dia. beam N 53 W. 22nd the cash
 and a Sugar 8 " " " N 63 E. 17th "
 80.00 To the post of Jul 2, 3 1871.

North Return Jul 3rd 1871 T. N. 5 N. R. 27th
 40.00 Set the timber? to be put from wharf
 Buck 10 in dia. beam N 2 E. 24th the cash, 12,
 Ho. 11 " " " N 63 E. 11 " "
 67.00 To a Buck 20 in dia. in the line.
 81.10 Set out the N. Boundary 10 links East of the post
 cor of Jul 3rd 1871 T. N. 5 N. R. 27th and set a post farther
 " " " 3rd 1871 from wharf
 Buck 20 in dia. beam N 4 W 13th the cash, 12,
 Ho. 17 " " " N 63 W. 33 " "
 Land the same.

North Return Jul 3rd 1871 T. N. 5 N. R. 27th
 40.00 Set a post from wharf
 Sugar 10 in dia. beam N 3 E. 14th the cash, 12,
 Poplar 7 " " " N 52 W. 14 " "
 80.00 Set a post farther cor of Jul 28, 29 30 31 32 from wharf
 Buck 10 in dia. beam N 48 W. 8th the cash, 12,
 Dogwood 6 " " " N 80 E. 10 " "
 Land very hilly and brushy, Timber Oak, Hickory

East On a Random line between Jul 28 1871 T. N. 5 N. R. 27th
 40.00 Set a timber? to be put.
 80.08 Set out the N. B. line 12 links South of the post
 cor of Jul 27, 28. 33 34 Land hilly, brushy

T. N. 5 N. R. N. 27. 2nd Mer. Ind.

West On the line between Jul 28 1871 T. N. 5 N. R. 27th
 110.04 Set the timber? to be put at the end of the line
 from wharf, Sugar 10 in dia. beam N 57 12th the cash,
 Dogwood 9 " " " N 70 W 32 " "
 80.08 Set the post cor of Jul 28, 29 30 31 32

North Return Jul 28 1871 T. N. 5 N. R. 27th
 40.00 Set a timber? to be put from wharf
 Immers 5 in dia. beam N 70 E. 9th the cash, 12,
 Oak 19 " " " N 10 E. 22 " "
 80.00 Set a post for the cor of Jul 20, 21 28 29 from wharf
 Sugar 8 in dia. beam N 67 W. 19th the cash, 12,
 Buck 18 " " " East 15 " "
 Land the same as last mile.

East On a Random line between Jul 21 1871 T. N. 5 N. R. 27th
 40.00 Set a timber? to be put
 80.00 Set out the N. B. line 18 links South of the post cor
 Jul 21 22, 27 28 Land of timber same

West On the line between Jul 21 1871 T. N. 5 N. R. 27th
 40.00 Set the timber? to be put at the end of the line
 from wharf, Buck 7 in dia. beam N 7 E. 22nd the cash,
 and a Sugar 10 " " " N 67 W 11 " "
 80.00 Set the post cor of Jul 20 21 28 29

North Return Jul 20 1871 T. N. 5 N. R. 27th
 3.50 To a Buck 10 links mid, course N.
 40.00 Set a post from wharf
 Buck 8 in dia. beam N 27 W 14th the cash, 12,
 Ho. 18 " " " N 29 W 33 " "
 51.50 To a Buck 10 links mid, course N.
 60.00 " " Ho. 15 " " " N. W.

the cor. of sec. 4 & 5 from which,
 Reel. 6 in dist. from S 5 W 2 mile dist. 23
 Do. 6 " " " " N 33 W 8 " "
 Same as the same as last mile.

Anth. Reptum. Lat. 3/1832. 15 N. 21 W.

40,00 Lit a $\frac{1}{2}$ supst.

80,00 Set apart for the cov. of 29, 30, 31 1832 from which
 Elm 10 mi dist. bears N 57 E. 24 No. crest, &
 Buck. 6 " " " " 1777. 18 " "
 Lands broken brushy, Timber Oak, Hickory, Ash,

East Oak Kernum Inc between Sur. 29 & 32 T. 5 N. R. 7

4000 Set a trap, you see first

79.50 Intersect the NTS line 12 miles South of the post on
of ss 28. 29. 30. 31. 32. Sand the same.

Nest Oryzopsis, three birds between Dec. 29 B2 I 5 NR 211

39.45 Set the traps. 1/2 cu post at the creek on the line in
from Miska, Reeb. 12 in dist. beas. Wet 37 Ks. dist.
49.50 To the post cu. of cut. 29.30. 31.732.

Met. Return Au 31 & 31 L 5 APR 27 W. 1893

2250 Toja Brook 150' high m. d. Homer S.

4000 Let a $\frac{1}{2}$ cup of gum which,

Beak 10 in dist. tars. 251 E. 14 lks incl. ta

Summer 6 " " " . ASOTT 25 . "

76.40 Intersect the West Boundary 64 miles North of the
first cor of sec 25 T36. S5. N. 37. & set apart from
cor of sec 30 T31 from which
Reich 10 in distance S56 E. 8 miles. Dist. to
W. Oak 10 " " N 15 E 18 " "
Lands to Rich Timber, Birch, Poplar, Sugar. &c.

North Return Ls 29530. ISAR 277.

6.18 Toa Brook 100 mks md., (Cone S.W.)

40,000 Peta new post from white,

Hogmoor 6 in dist. from S81W.7 N4 dist. 74

La. 64 " A227m.24,

8000 Stapled further crops at 19.20.29 B30 from which
Reck - in dark bars \$157x10 units each as
B Oak 18 " " " Abbe^w 11 "
Lands rolling Limbs Reptar, Ash, Sugar, 91 g
Spew, & Hognord. Se.

East Oya Kaman line between Dec. 20 & 29 J. 5 PM 23

20,000 Log Brook. 150 units made, some south

4000 Set a 9th 20 prot. temporary

71.00 21 gaffing branch 10 into ma, Coma S.

80.00 Submerged the N. 5 line 12 miles South of the post
on April 20, 21, 28 129. Found the same.

Met Ogden June 1 mi below Sal. 20 reg. 15. A. R. 20

40,00 Let the transport be sent at the earliest on the New York
from which, Beech 20 in direction N 62 E. 25 the air

and a
No. 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845

80,500 Both sides of rd. 19.20.29 1830

West Return Oct 19130. I.S.M. 27.

4000 Lta 7/24 post from white,

Book 10 in drawer S5 E. 16 Antelope, Ca

No. 9 4 4 4 M.J.N. 5 4

7688 Intersect the W. boundary 405 links North of the first
cor of sec. 24 & 25. T. 5 N. R. 37 W. and set apart for
" " " 19130 from which,
Beck 10 in dia. bears N 79 E. 25 1/2 W. dist. 10,
R.R. " " " 552 E. 17 " "

T. A. 5 A. R. A. 277 D. 2nd Mm. Ind.

North Return due 788 S. 5 A. R. 277.

1350 To sugar 10 in dia. with line.

40.00 Set a 10 sup. post from whike,

Poplar 6 in dia. beam 18 E. 50 Ks. dist; 12,

Buck 12 " " 29 N. 29 " "

80.00 Set a post for the end of sec. 5, 6, 7 & 8 from whike,

Maple 8 in dia. beam 110 N. 23 Ks. dist; 12,

Buck 10 " " 31 N. 20 " "

Inside the same

East On the line between Sec 5 & 8 S. 5 A. R. 277.

40.00 Set a 10 sup. post

64.00 To a Rock 150 Ks. in dia. corner S.

80.15 Intersect the A. B. line 20 Ks. North of the post on
of sec 4, 5, 8 & 9 Inside the same.

West On the line between Sec 5 & 8 S. 5 A. R. 277.

40.00 Set the 10 sup. post at the av. dist. on the line
from whike, 10 in dia. beam 141 E. 31 Ks. dist
and a Buck 6 " " 18 N. 15 " "

80.15 To the post on of sec. 5, 6, 7 & 8.

West Return due 677 S. 5 A. R. 277.

40.00 Set a 10 sup. post from whike,

Hogwood 6 in dia. beam 184 E. 36 Ks. dist; 12,

Buck 20 " " 49 N. 15 " "

77.35 Intersect the West Boundary at the post on. of
Sec 1 & 2 S. 5 A. R. 377. Low Hill, timber
Oak & Hick.

North Return due 576 S. 5 A. R. 277.

40.00 Set a 10 sup. post from whike,

Hogwood 4 in dia. beam 141 E. 17 Ks. dist; 12,

Comp?

T. A. 5 A. R. A. 277 D. 2nd Mm. Ind.

Sugar 10 in dia. beam 188 N. 11 Ks. dist;

77.80 Intersect the A. Boundary at the post on. of sec 31 &
32 S. 6 A. R. 277Land rich and rolling; Timber Poplar, Sugar,
Buck 8.Surveyed by
Arthur Hanna.

Sept 7 1841

Comp?

I certify that the foregoing Transcript of the
field notes of Township No. 5 North of Range No.
2 West of the 2nd Principal Meridian in Indiana
has been compared with the Original notes
in this Office and found to be correct.

Surveyor General's Office
Cincinnati, Nov. 15. 1841

Sur. General.